

March 2016

# Fasson EXACT™ *Update*

Includes Splice-Free, Ready Width™ and Mix & Match™ Products



## March 2016 EXACT™ Service Program Additions and Removals

### Additions

| Spec# | Product Description            | Action              |
|-------|--------------------------------|---------------------|
| 19203 | 70# EGGSHELL FELT/S100RB/44#PK | Add 5K EXACT in FTW |
| 15562 | DT200HD FASCOVER/AT20/40#SCK   | Add 5K EXACT in PFF |

### Removals

| Spec# | Product Description      | Action                   |
|-------|--------------------------|--------------------------|
| 19236 | 10PT C1S CAROLINA-94 BRT | Remove 7.5K EXACT in MTL |

| Fasson® Facestock                 | Adhesive | Liner       | Spec# | Splice-Free# | GFD     | FTW   | PTC   | PVL | QTN     | DAL  | NEE   | SEA  | WCT  | MTL  | TOR  | Comments                                 |
|-----------------------------------|----------|-------------|-------|--------------|---------|-------|-------|-----|---------|------|-------|------|------|------|------|------------------------------------------|
| <b>Prime Paper</b>                |          |             |       |              |         |       |       |     |         |      |       |      |      |      |      |                                          |
| 48# Semi-Gloss                    | AT20     | 34#CK       | 53485 |              | 10      |       |       |     |         |      |       |      |      |      |      |                                          |
|                                   | S2501    | 34#CCK      | 53667 |              | 10      |       |       |     |         |      |       |      |      |      |      |                                          |
| 54# Semi-Gloss FSC                | AT20     | 40#CK       | 14471 | 14472        | 10/5/10 |       | 5/10  |     | 5/10    | 5/10 | 5/10  | 5/10 | 5/10 | 10   | 5/10 |                                          |
|                                   | AT20N    | .92 Mil PET | 53792 |              |         | 10/20 |       |     |         |      |       |      |      |      |      |                                          |
|                                   | C2500    | 40#CK       | 14440 | 14470        |         | 5/10  | 5/10  |     | 15/5/10 | 5/10 | 5/10  | 10/5 | 5/10 | 5/10 | 5/10 |                                          |
|                                   | C2500    | 1.2 Mil PET | 19457 |              |         |       | 10    |     |         |      |       |      |      |      |      |                                          |
|                                   | C2500    | .92 Mil PET | 53170 |              |         | 10    |       |     |         |      |       |      |      |      |      |                                          |
|                                   | AT20N    | 1.2 Mil PET | 19640 |              | 10      |       |       |     |         |      |       | 10   |      |      |      |                                          |
| 54# Semi Gloss PCW                | C2500    | 40#NK       | 53678 |              |         |       | RW 10 |     |         |      |       |      |      |      |      | Widths: 7", 10", 12"                     |
| 54# Semi-Gloss FSV2               | C2500    | 40#NK       | 19185 |              |         |       | 5     |     |         |      |       |      |      |      |      |                                          |
| 40# DT200HD FasCover              | AT20     | 40#SCK      | 15562 |              |         |       |       | 5   |         |      |       |      |      |      |      |                                          |
| 60# Semi-Gloss Elite              | C2500    | 40#CK       | 15335 | 18658        |         |       | 5/10  |     | 5/10    | RW10 | 5/10  | 10   | 5/10 | 5    | 10   | RW Widths: 6.5                           |
|                                   | C2510    | 40#CK       | 53658 | 53657        |         | 5     | 10    |     |         | 10   | 10    | 5/10 | 5/10 |      | 10/5 |                                          |
|                                   | S246     | 40#CK       | 15336 | 15337        |         | 5     | 5/10  |     | 5/15/10 |      | 10/5  |      | 5/10 |      | 5/10 |                                          |
|                                   | S246     | 1.5 Mil PET | 08936 |              |         |       |       |     |         |      | RW 10 |      |      |      |      | Width: 8.5"                              |
|                                   | AT20N    | 40#CK       | 17670 | 15338        | 5/10    |       | 5/10  |     | 5/10    | 5/10 | 10    | 5/10 | 5/10 | 5/10 |      |                                          |
|                                   | AT20A    | 40#CK       | 15479 |              |         | 5     |       |     |         |      |       |      |      |      |      |                                          |
|                                   | AT20B    | 40#SCK      | 08043 |              |         | 10    |       |     |         |      |       |      |      |      |      |                                          |
|                                   | AT20N    | 1.2 Mil PET | 19641 |              |         | 10    |       |     |         |      |       |      |      |      |      |                                          |
|                                   | AT20N    | 1.2 Mil PET | 19655 |              |         |       |       |     |         |      |       | 10   |      |      |      | Spec for Wine Labeling                   |
|                                   | R5195    | 40#SCK      | 18328 |              |         | 5/10  | 5     |     | 5/10    |      | 5     |      | 5    |      |      |                                          |
|                                   | C2075    | 40#SCK      | 17714 |              |         | 5/10  | 10    |     |         |      |       |      |      |      |      |                                          |
|                                   | AT1      | 40#SCK      | 15476 |              |         | 5     |       |     |         |      |       | 5    |      |      |      |                                          |
|                                   | C2500    | 1.2 Mil PET | 19133 |              |         | 5/10  | 5     |     |         |      |       |      |      |      |      |                                          |
|                                   | S490A    | Piggyback   | 15483 |              |         |       |       | 2.5 |         |      |       |      |      |      |      | Liner: 2 Mil PS/44#PK                    |
|                                   | S2501    | Piggyback   | 15485 |              |         | RW 5  |       |     |         |      |       |      |      |      |      | Liner: 40#/40#SCK Widths: 6", 9.75", 13" |
|                                   | S2501    | Piggyback   | 15484 |              |         | RW 5  |       |     |         |      |       |      |      |      |      | Liner: 40#/50#SCK Width: 6.5"            |
| 60# Archival Semi-Gloss           | R5195    | 40#LF       | 18559 |              |         | RW 10 |       |     |         |      |       |      |      |      |      | 6" cores Widths: 13"                     |
|                                   | S490     | 40#LF       | 18392 |              |         | 10    |       |     |         |      |       |      |      |      |      |                                          |
| 60# Semi-Gloss Elite™ FasCover™ 2 | AT20     | 40#SCK      | 15477 |              |         | 5     |       |     |         |      |       |      |      |      |      |                                          |
| 60# Gloss                         | C2500    | 40#CK       | 14533 | 17410        |         |       |       |     | 5/10    |      |       |      |      |      |      |                                          |
|                                   | S246     | 40#CK       | 14534 | 17411        |         |       | 5/10  |     |         |      |       |      |      | 10   |      |                                          |
|                                   | AT20     | 40#SCK      | 14535 |              |         | 5     |       |     |         |      |       |      |      |      |      |                                          |
| 55# Semi-Gloss UV Inkjet          | AT20     | 40#SCK      | 53664 |              |         | 5     |       |     |         |      |       |      | 5    |      |      |                                          |
| 55# Cast Gloss Elite™             | C2500    | 40#CK       | 15308 | 15309        |         |       | 5     |     |         |      |       | 10/5 | 10/5 |      |      |                                          |
|                                   | AT20     | 40#CK       | 15312 |              | 5       |       |       |     |         |      |       | RW 5 | 5    |      |      | RW Widths: 7.75"                         |
|                                   |          |             |       |              | GFD     | FTW   | PTC   | PVL | QTN     | DAL  | NEE   | SEA  | WCT  | MTL  | TOR  |                                          |

**Locations:** DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Numbers indicate length of program in thousands of feet (5 = 5,000').  
RW = Ready Width

## Program Guidelines

- Roll lengths may vary by +/- 10%.
- Order cut-off time is 4:00pm (program location time) for next-day shipment of EXACT.
- Minimum slit width & maximum order size are location-specific.
- Standard pallets. No core labels. One pallet may be identified as containing mixed widths.
- Cradle pack available on 5000' and above programs (with 20" minimum order size per pallet for safety).
- Splice-Free must be ordered as EXACT.
- Arrow stamping not available on EXACT orders.

| Fasson® Facestock                       | Adhesive | Liner       | Spec# | Splice-Free# | GFD  | FTW  | PTC  | PVL | QTN  | DAL | NEE  | SEA  | WCT   | MTL | TOR | Comments                                 |
|-----------------------------------------|----------|-------------|-------|--------------|------|------|------|-----|------|-----|------|------|-------|-----|-----|------------------------------------------|
| 60# Cast Gloss                          | AT20     | 40#CK       | 07602 | 19372        | 5/10 |      |      |     |      |     | 5    | 5    |       |     |     |                                          |
|                                         | AT1      | 40#SCK      | 07603 |              |      | RW 5 |      |     |      |     |      |      |       |     |     | Widths: 7.625, 14.5, 15.5                |
|                                         | C2075    | 40#SCK      | 17715 |              |      |      | 5    |     |      |     |      |      |       |     |     |                                          |
|                                         | S246     | 50#SCK      | 07605 |              |      |      | 5    |     | 5    |     |      |      |       |     |     |                                          |
|                                         | S100R    | 44#PK       | 01606 |              |      |      |      |     |      |     |      |      | 5     |     |     | Wine                                     |
|                                         | S100R    | 1.2 Mil PET | 19638 |              |      |      |      |     |      |     |      |      | 5/10  | 7.5 |     |                                          |
|                                         | AT20N    | 1.2 Mil PET | 19637 |              |      | 10   |      |     |      |     |      |      | 10    |     |     | Wine                                     |
|                                         | R5195    | 40#SCK      | 18445 |              |      | 5    |      |     |      |     |      |      |       |     |     |                                          |
| Pharma Cast Gloss +                     | S246     | 40#CK       | 07601 | 14474        |      | 5    | 10/5 |     | 10/5 |     | 10/5 |      | 5     |     | 5   |                                          |
|                                         | S246     | Ultraliner® | 07806 |              |      |      | 10   |     |      |     |      |      |       |     |     |                                          |
|                                         | S246     | 1.2 Mil PET | 19161 |              |      |      |      |     | 10   |     |      |      |       |     |     |                                          |
|                                         | S246     | 1.5 Mil PET | 09201 |              |      |      | 5    |     |      |     |      |      |       |     |     |                                          |
|                                         | S727     | 40#SCK      | 07609 |              |      |      |      | 5   |      |     |      |      |       |     |     |                                          |
|                                         | S727     | Ultraliner® | 07610 |              |      |      |      | 5   |      |     | 5    |      | RW 10 |     |     | RW Widths: 10"                           |
| Lightweight Pharma Litho                | S727     | 40#SCK      | 07944 |              |      |      |      |     | 5    |     |      |      |       |     |     |                                          |
| High Gloss+ FasCover™ 2                 | AT20     | 40#SCK      | 07636 |              |      | 5    |      |     |      |     |      |      |       |     |     |                                          |
| 60# Uncoated Litho Wetstrength/OPP Weld | AT20N    | 1.2 Mil PET | 53007 |              |      |      |      |     |      |     |      |      | 10    |     |     | Wine                                     |
| Fasson® Dairy Print FSC                 | C2510    | 40#NK       | 53310 | 53309        |      |      | 5/10 |     | 10   | 10  | 10   |      | 10    |     | 10  |                                          |
|                                         | C2510    | 40#CK       | 53651 |              |      |      | 5/10 |     |      |     |      |      |       |     |     |                                          |
| 50# FM Litho FSC                        | Z3000    | 40#SCK      | 53645 |              |      |      | RW 5 |     |      |     |      |      | RW 5  |     |     | PTC 5", 6", 10" WCT 4.6", 6", 10", 13.5" |
| Matte Litho FSC                         | C2500    | 40#CK       | 14532 |              |      |      | 5    |     |      |     | 5    | 5    |       |     |     |                                          |
|                                         | S246     | 40#CK       | 03558 |              |      | 5    |      |     |      |     |      |      | 5     |     |     |                                          |
|                                         | S246     | 50#SCK      | 00050 |              |      | RW 5 |      |     |      |     |      |      |       |     |     | Widths: 6", 10"                          |
|                                         | R5195    | 40#SCK      | 18444 |              |      | 2.5  |      |     |      |     |      |      |       |     |     |                                          |
| Matte Litho                             | S100R    | 44#PK       | 19801 |              |      |      |      |     |      |     |      | 5    |       |     |     | Wine                                     |
|                                         | S100R    | 1.2 Mil PET | 19803 |              |      |      |      |     |      |     |      | RW 5 |       |     |     | Wine Widths: 10"                         |
| Matte Litho WS                          | AT20     | 44#PK       | 19298 |              |      |      |      |     |      |     |      | 5    |       |     |     | Wine                                     |
| Tamper Resistant Litho                  | S814     | 40#SCK      | 19348 |              |      |      |      | 5   |      |     |      |      |       |     |     |                                          |
| 8 Pt. Tag                               | AT20A    | 40#SCK      | 17375 |              |      | 5    |      |     |      |     |      |      |       |     |     |                                          |
|                                         | AT20     | 40#SCK      | 15258 |              |      | 5    |      |     |      |     |      |      |       |     |     |                                          |
|                                         | S246     | 40#SCK      | 17698 |              |      |      | 5    |     |      |     |      |      |       |     |     |                                          |
| 10 Pt. Tag                              | AT20A    | 40#SCK      | 17938 |              |      | 5    |      |     |      |     |      |      |       |     |     |                                          |
| Red Fluorescent                         | C2500    | 40#CK       | 15281 |              |      | 5    | 5/10 |     |      |     |      |      | 5     |     |     |                                          |
| Green Fluorescent                       | C2500    | 40#CK       | 15283 |              |      |      | 5    |     |      |     |      |      |       |     |     |                                          |
| Orange Fluorescent                      | C2500    | 40#CK       | 15282 |              |      | 5    | 5    |     |      |     |      |      |       |     |     |                                          |
| Chartreuse Fluorescent                  | C2500    | 40#SCK      | 15284 |              |      |      | 5    |     |      |     |      |      |       |     |     |                                          |
| Pink Fluorescent                        | C2500    | 40#SCK      | 15285 |              |      |      | 2.5  |     |      |     |      |      |       |     |     |                                          |
| Bright Silver Foil                      | C2500    | 40#SCK      | 15315 |              |      | 5    | 5    |     |      |     |      | RW 5 |       |     |     | Widths: 6                                |
| Dull Silver Foil                        | C2500    | 40#SCK      | 15316 |              |      |      | 5/10 |     |      |     |      |      |       |     |     |                                          |
| Bright Gold Foil                        | C2500    | 40#SCK      | 15317 |              |      | 5    |      |     |      |     |      |      |       |     |     |                                          |
| Dull Gold Foil                          | C2500    | 40#SCK      | 15318 |              |      |      | 10   |     |      |     |      |      |       |     |     |                                          |
| MaxFlex™ Bright Silver                  | C2500    | 40#CK       | 53355 |              |      | 5    | 5/10 |     | 10   |     |      |      | 5     |     | 5   |                                          |
|                                         | C2075    | 40#SCK      | 53356 |              |      |      | 10   |     |      |     |      |      |       |     |     |                                          |
|                                         | AT20     | 1.2 Mil PET | 53381 |              |      |      |      | 10  |      |     |      |      | 10    |     |     |                                          |
|                                         | S100R    | 44#PK       | 53351 |              |      |      |      |     |      |     |      |      | RW 5  |     |     | Widths: 10", 12"                         |
|                                         | AT20     | 40#SCK      | 53352 |              |      | 5    |      |     |      |     |      |      |       |     |     |                                          |
|                                         |          |             |       |              | GFD  | FTW  | PTC  | PVL | QTN  | DAL | NEE  | SEA  | WCT   | MTL | TOR |                                          |

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

| Fasson® Facestock                | Adhesive | Liner       | Spec# | Splice-Free# | GFD  | FTW  | PTC  | PVL  | QTN  | DAL  | NEE  | SEA  | WCT    | MTL  | TOR  | Comments                                                              |
|----------------------------------|----------|-------------|-------|--------------|------|------|------|------|------|------|------|------|--------|------|------|-----------------------------------------------------------------------|
| FasPrism™ Iridescent             | S246     | 40#SCK      | 02391 |              |      |      | 5    |      |      |      |      |      |        |      |      |                                                                       |
| Pli-A-Print®                     | S246     | 40#CK       | 08071 |              |      | 2.5  |      |      |      |      |      |      |        |      |      |                                                                       |
| Dissolvable PPR                  | S2600    | 40#SCK      | 15666 |              |      |      |      |      |      | RW 5 |      |      |        |      |      | Widths: 9, 13, 15.5                                                   |
| Estate Label® #4                 | S100R    | 44#PK       | 01533 |              |      |      |      |      |      |      |      |      | RW 5   |      |      | Wine Widths: 6", 10", 12"                                             |
| Estate Label® #8                 | S100R    | 44#PK       | 02394 |              |      |      |      |      |      |      |      | 5    | 5      |      |      | Wine                                                                  |
|                                  | S100R    | 1.2 Mil PET | 19656 |              |      |      |      |      |      |      |      |      | 5/10   | 7.5  |      | Wine                                                                  |
|                                  | AT20     | 44#PK       | 15952 |              |      | RW 5 |      |      |      |      |      |      |        |      |      | Width: 10"                                                            |
|                                  | AT20N    | 1.2 Mil PET | 19650 |              |      |      |      |      |      |      |      |      | 5/10   |      |      | Wine                                                                  |
| Estate Label® #8 ITC             | S100R    | 44#PK       | 19915 |              |      | RW 5 |      |      |      |      |      | RW 5 | RW 5   |      |      | 5K RW in FTW Width: 12" and 13" SEA Width: 12" WCT Width: 12" and 10" |
| Estate Label® #9                 | S100R    | 44#PK       | 11301 |              |      |      |      |      |      |      |      |      | 5      |      |      | Wine                                                                  |
| 60# Classic® Linen               | S100R    | 44#PK       | 12571 |              |      |      |      |      |      |      |      |      | RW 5   |      |      | Widths: 10", 12"                                                      |
|                                  | S100R    | 1.2 Mil PET | 19633 |              |      |      |      |      |      |      |      |      | 10     |      |      |                                                                       |
| 60# Classic Crest® Solar White   | S100R    | 44#PK       | 12623 |              |      |      |      |      |      |      |      | 5    | 5      |      |      | Wine                                                                  |
|                                  | AT20N    | 44#PK       | 18513 |              |      |      |      |      |      |      |      |      | RW 10  |      |      | Wine Widths: 10"                                                      |
|                                  | AT20N    | 1.2 Mil PET | 19648 |              |      |      |      |      |      |      |      |      | 5/10   |      |      |                                                                       |
| 60# Classic Crest® Natural White | S100R    | 44#PK       | 17499 |              |      |      |      |      |      |      |      |      | RW 5   |      |      | Width: 10"                                                            |
| Classic® Felt NWS White          | S100R    | 44#PK       | 18979 |              |      |      |      |      |      |      |      |      | RW 5   |      |      | Width: 10"                                                            |
| Classic® Laid                    | S100R    | 44#PK       | 12649 |              |      | RW 5 |      |      |      |      |      |      |        |      |      | Widths: 6", 10"                                                       |
| 70# Eggshell Wet Strength        | S100RB   | 44#PK       | 19203 |              |      | 5    |      |      |      |      |      | 5    | 5      |      |      | Wine                                                                  |
|                                  | S100RB   | 1.2 Mil PET | 19742 |              |      |      |      |      |      |      |      |      | 5/10   |      |      |                                                                       |
| 70# Bright White Felt WS ITC     | S100RB   | 1.2 Mil PET | 53600 |              |      |      |      |      |      |      |      |      | RW 10  |      |      | Widths: 12"                                                           |
| 70# Bright White Felt WS         | S100RB   | 44#PK       | 19917 |              |      |      |      |      |      |      |      |      | 5      |      |      |                                                                       |
|                                  | S100RB   | 1.2 Mil PET | 53112 |              |      |      |      |      |      |      |      |      | 5/10   |      |      |                                                                       |
| Tramado Blanco                   | S100R    | 1.2 Mil PET | 19903 |              |      |      |      | RW 5 |      |      |      |      |        |      |      | 5K RW at PVL Width: 13"                                               |
| Uncoated Litho WS                | S100R    | 1.2 Mil PET | 19995 |              |      |      |      |      |      |      |      |      | 10     |      |      |                                                                       |
|                                  | AT20N    | 1.2 Mil PET | 19993 |              |      | 10   |      |      |      |      |      |      | 7.5/10 |      |      |                                                                       |
| <b>New Prime Film Portfolio</b>  |          |             |       |              |      |      |      |      |      |      |      |      |        |      |      |                                                                       |
| Global MDO Clear                 | S7000    | .92 Mil PET | 78875 |              |      |      |      |      | 15   |      |      |      |        |      |      | 6" cores                                                              |
| Global MDO White                 | S7000    | .92 Mil PET | 78876 |              |      |      |      |      | 15   |      |      |      |        |      |      | 6" cores                                                              |
| Global MDO Clear TC              | S7000    | .92 Mil PET | 78890 |              |      |      |      |      | 15   |      |      |      |        |      |      | 6" cores                                                              |
| Global MDO White TC              | S7000    | .92 Mil PET | 78891 |              |      |      |      |      | 15   |      |      |      | 15     |      |      | 6" cores                                                              |
| 1.6 Mil Clear BOPP TC            | S7000    | .92 Mil PET | 78870 |              |      |      |      |      | 15   |      |      |      | 15     |      |      | 6" cores                                                              |
| 1.6 Mil Metallized BOPP TC       | S7000    | .92 Mil PET | 78940 |              |      |      |      |      | 15   |      |      |      |        |      |      |                                                                       |
| 2.4 Mil White BOPP TC            | S7000    | .92 Mil PET | 78887 |              |      |      |      |      | 15   |      |      |      |        |      |      | 6" cores                                                              |
|                                  | S7000    | 40#BG       | 79459 | 79460        | 5/10 |      | 5/10 |      | 5/10 | 10   | 5/10 | 5/10 | 10/5   | 5/10 | 5/10 |                                                                       |
|                                  | S7000    | 1.2 Mil PET | 79461 |              |      |      |      |      | 10   |      | 10   |      |        |      |      |                                                                       |
| 2 Mil White BOPP TC              | S7000    | .92 Mil PET | 78888 |              |      |      |      |      | 15   |      |      |      |        |      |      | 6" cores                                                              |
|                                  | S7000    | 40#BG       | 79100 |              | 5/10 |      | 10   |      |      |      |      |      | 5/10   |      |      |                                                                       |
|                                  | S7000    | 1.2 Mil PET | 78997 |              | 5/10 |      |      |      | 5/10 |      |      |      | 5/10   |      |      | 6" cores                                                              |
| 2 Mil Metallized BOPP TC         | S7000    | 40#BG       | 79101 |              |      |      | 10   | 10   |      |      |      |      | 10     |      | 10   |                                                                       |
|                                  | S7000    | 1.2 Mil PET | 78889 |              | 10   |      |      |      | 10   |      |      |      | 5/10   |      |      | 6" cores                                                              |
| 2 Mil Clear BOPP TC              | S7000    | 40#BG       | 79098 |              | 5/10 |      | 10   |      | 5/10 |      | 5    | 5    | 5/10   |      | 5/10 |                                                                       |
|                                  | S7000    | 1.2 Mil PET | 78998 |              | 5/10 |      |      |      | 5/10 |      |      |      | 7.5/10 |      |      |                                                                       |
| 2 Mil Clear BOPP ITC             | S7000    | 40#BG       | 79560 |              | 5    |      |      |      |      |      |      |      |        |      |      |                                                                       |
|                                  |          |             |       |              | GFD  | FTW  | PTC  | PVL  | QTN  | DAL  | NEE  | SEA  | WCT    | MTL  | TOR  |                                                                       |

**Locations:** DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

## Fasson Ready Width™ Program Guidelines

- Roll lengths may vary by +/- 10%
- Order cut-off time is 4pm (program location time) for next-day shipment of Ready Width™ products
- Minimum slit width & maximum order size are location-specific
- Standard packaging
- Cradle pack available on 5000' and above programs (with 20" minimum order size per pallet for safety)
- Arrow stamping not available on Ready Width™ orders.

| Fasson® Facestock       | Adhesive | Liner       | Spec# | Splice-Free# | GFD  | FTW | PTC  | PVL  | QTN   | DAL | NEE  | SEA | WCT    | MTL | TOR | Comments                                  |
|-------------------------|----------|-------------|-------|--------------|------|-----|------|------|-------|-----|------|-----|--------|-----|-----|-------------------------------------------|
| <b>Prime Film</b>       |          |             |       |              |      |     |      |      |       |     |      |     |        |     |     |                                           |
| Global Co-Ex™ Clear NTC | S692N    | 1.2 Mil PET | 77178 |              |      | 10  |      |      | 10    |     | 10   |     |        |     |     | Widths less than 6" not available         |
| Global Co-Ex™ Clear TC  | S692N    | 1.2 Mil PET | 77381 |              |      |     |      |      | 10    |     | 10   |     |        |     |     | 6" cores                                  |
| 3.0 Mil Clear MDO       | S692N    | 1.2 Mil PET | 77964 |              |      |     |      |      | 10    |     |      |     |        |     |     | 6" cores                                  |
|                         | S692N    | 40#BG       | 78097 |              | 10   |     |      |      |       |     |      |     |        |     | 10  |                                           |
| PE 85 Clear NTC         | S692N    | 1.2 Mil PET | 76957 |              |      |     |      |      | 15    |     |      |     |        |     |     | 6" cores                                  |
| Crystal FasClear® TC    | S2001    | 1.5 Mil PET | 75459 | 75382        |      |     |      |      | 10    |     | 10   |     |        |     |     | 6" cores                                  |
| FasClear® 250           | S692N    | 1.2 Mil PET | 77234 |              |      |     |      |      | 10    |     |      |     |        |     |     | 6" cores                                  |
|                         | S692N    | 44#PK       | 76909 | 76908        | 5    |     |      |      |       |     |      |     | 7.5    |     |     |                                           |
| FasClear® 350           | S692N    | 44#PK       | 76907 |              | 5    |     |      |      |       |     |      |     |        |     |     |                                           |
| Global Co-Ex™ White NTC | S692N    | 1.2 Mil PET | 77179 |              |      |     |      |      | 10    |     | 10   |     |        |     |     | Widths less than 6" not available         |
| Global Co-Ex™ White TC  | S692N    | 1.2 Mil PET | 77382 |              |      |     |      |      | 10    |     | 10   |     |        |     |     |                                           |
| 3.0 Mil White MDO       | S692N    | 1.2 Mil PET | 77980 |              |      |     |      |      | 10    |     | 10   |     |        |     |     | 6" cores                                  |
|                         | S692N    | 44#PK       | 77988 |              | 5    |     |      |      |       |     |      |     |        |     |     |                                           |
|                         | S692N    | 40#BG       | 78098 |              | 5/10 |     |      |      |       |     |      |     |        |     | 10  |                                           |
| PRIMAX® 250             | S692N    | 44#PK       | 76906 | 76905        | 5    |     |      |      |       |     |      |     | 7.5    |     |     |                                           |
|                         | S692N    | 40#BG       | 76994 |              |      |     |      |      |       |     |      |     | 5      |     |     |                                           |
| PRIMAX® 350             | S692N    | 44#PK       | 76904 |              | 5    |     |      |      |       |     |      |     | 5      |     |     |                                           |
|                         | S692N    | 1.5 Mil PET | 76990 |              |      |     |      |      | 5     | 5   |      |     |        |     |     |                                           |
|                         | R143     | 1.5 Mil PET | 75394 |              |      |     |      | 5    |       |     |      |     |        |     |     |                                           |
|                         | R143     | 50#SCK      | 77967 |              |      |     |      | 5    |       |     |      |     |        |     |     |                                           |
| 1.6 Mil Clear BOPP TC   | S7400    | .92g PET    | 78635 |              |      |     |      |      | 20    |     |      |     |        |     |     | 6" cores                                  |
| 2 Mil Clear BOPP TC     | S7400    | .92g PET    | 78654 |              |      |     |      |      | 10/20 |     | 10   |     | 10     |     |     | 6" cores                                  |
|                         | S2001    | 1.5 Mil PET | 74492 | 75386        |      |     |      |      | 10    |     | 10   |     | 7.5/10 |     |     | WCT and NEE 3" cores; all others 6" cores |
|                         | S2001    | 44#PK       | 74477 |              |      |     | 10   | 5    |       |     | 10   |     |        |     |     |                                           |
|                         | S3000    | 1.5 Mil PET | 74279 |              |      |     |      | 5/10 |       |     |      |     |        |     |     | 6" cores on 10K only                      |
|                         | R3500    | 40#SCK      | 78148 |              |      |     |      |      |       |     | 5    |     |        |     |     |                                           |
|                         | C2075    | 40#BG       | 78179 |              |      |     | 10   |      |       |     |      |     |        |     |     |                                           |
|                         | R3500    | 1.2 Mil PET | 77462 |              |      |     |      |      |       |     | 15   |     |        |     |     |                                           |
| 2 Mil Clear Polystyrene | S246     | 40#SCK      | 12323 |              |      |     | 5/10 |      |       |     |      |     |        |     |     |                                           |
| 2.4 Mil WH BOPP TC      | AT20N    | 40#BG       | 79102 |              |      |     |      |      |       |     |      |     | 10     |     |     |                                           |
| 2.6 Mil White BOPP      | S692N    | 40#BG       | 76913 | 76912        | 5    |     |      |      |       |     |      |     |        |     |     |                                           |
| 2.3 Mil White BOPP TC   | R3500    | 40#SCK      | 78149 |              |      |     |      | 5    |       |     |      |     |        |     |     |                                           |
|                         | R3500    | 1.2 Mil PET | 77461 |              |      |     |      |      |       |     | 10   |     |        |     |     |                                           |
| 2.6 Mil White BOPP TC   | FA20     | 40#SCK      | 75413 |              |      |     | 5    |      |       |     |      |     |        |     |     |                                           |
|                         | C2510    | 40#SCK      | 78050 |              |      |     |      |      |       | 5   | 10   | 5   |        |     |     |                                           |
|                         | C2075    | 40#SCK      | 78200 |              |      |     | 7.5  |      |       |     |      | 7.5 |        |     |     |                                           |
|                         | S246     | 1.2 Mil PET | 77532 |              |      |     | 5    |      |       |     |      |     |        |     |     |                                           |
|                         | S692N    | 1.5 Mil PET | 76999 |              |      |     |      |      | 5/10  |     |      |     |        |     |     | 3" cores                                  |
|                         | S246     | 40#SCK      | 75607 |              |      |     |      |      |       |     | RW 5 |     |        |     |     | Widths: 6, 8.5                            |
|                         | AT20     | 40#SCK      | 76684 |              |      |     |      | 10   |       |     |      |     |        |     |     |                                           |
|                         | C2500B   | 1.2 Mil PET | 78322 |              |      |     | 10   |      |       |     |      |     |        |     |     |                                           |
| 2M Rainbow OPP          | S692N    | 40#SCK      | 79016 |              |      |     |      | 2.5  |       |     |      |     |        |     |     |                                           |
|                         |          |             |       |              | GFD  | FTW | PTC  | PVL  | QTN   | DAL | NEE  | SEA | WCT    | MTL | TOR |                                           |

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

All new programs will have a trial period of 3 months. Programs are subject to change without notice.  
For our most current service information, please visit [www.fasson.com](http://www.fasson.com) for an easy-to-print PDF file.

| Fasson® Facestock                          | Adhesive | Liner       | Spec# | Splice-Free# | GFD | FTW     | PTC | PVL    | QTN | DAL | NEE      | SEA | WCT  | MTL | TOR | Comments                                   |
|--------------------------------------------|----------|-------------|-------|--------------|-----|---------|-----|--------|-----|-----|----------|-----|------|-----|-----|--------------------------------------------|
| <b>Thermal Transfer/Durable/Vinyl Film</b> |          |             |       |              |     |         |     |        |     |     |          |     |      |     |     |                                            |
| 1 Mil Clear PET TC                         | S730     | 1 Mil PET   | 77855 |              |     |         |     |        |     |     | 5        |     |      |     |     |                                            |
|                                            | S8020    | 40#BG       | 77841 |              |     |         |     | RW 5   |     |     |          |     |      |     |     | Widths: 6", 12"                            |
| 1 Mil Clear Print-Treated PET              | S8020    | 40#BG       | 77844 |              |     |         |     | 2.5/5  |     |     |          |     | 2.5  |     |     |                                            |
|                                            | S8020    | 1 Mil PET   | 77955 |              |     |         |     |        |     |     | 2.5      |     |      |     |     |                                            |
| 2 Mil White Print-Treated PET              | S333     | 50#SCK      | 72828 |              |     | 5       |     |        |     |     | 5/RW 1.7 |     | 5    |     |     | RW Widths: 6"                              |
|                                            | S730     | 50#SCK      | 82737 |              |     |         |     |        |     |     | 2.5      |     |      |     |     |                                            |
|                                            | R143     | 50#SCK      | 71055 |              |     |         |     |        |     |     | 2.5      |     |      |     |     |                                            |
| 2 Mil White PET TC                         | S333     | 50#SCK      | 72825 |              |     | 2.5 / 5 |     |        |     | 5   |          |     |      |     |     |                                            |
|                                            | S730     | 50#SCK      | 40443 |              |     |         |     |        |     |     | 5        |     | 2.5  |     |     |                                            |
|                                            | S8001    | 50#SCK      | 78385 |              |     |         |     |        |     |     | 5        |     |      |     |     |                                            |
|                                            | S8015    | 50#SCK      | 76656 |              |     |         |     |        |     |     | 1.7      |     |      |     |     | All 1.7 length programs are actually 1668' |
|                                            | S8025    | 50#SCK      | 77920 |              |     |         |     |        |     |     | 1.7/5    |     |      |     |     |                                            |
| 2 Mil White Void PET TC                    | S8015W   | 50#SCK      | 78194 |              |     |         |     |        |     |     | 1.7      |     |      |     |     |                                            |
| 2 Mil Silver Void PET TC                   | S8015    | 50#SCK      | 78195 |              |     |         |     |        |     |     | 1.7      |     |      |     |     |                                            |
| 2 Mil Clear Print-Treated PET              | S333     | 50#SCK      | 72829 |              |     | 2.5     |     |        |     |     |          |     |      |     |     |                                            |
|                                            | S730     | 50#SCK      | 61319 |              |     |         |     |        |     |     | 1.7      |     |      |     |     |                                            |
| 2 Mil Clear PET TC                         | S333     | 50#SCK      | 72823 |              |     |         |     |        |     |     | 2.5      |     |      |     |     |                                            |
|                                            | S730     | 50#SCK      | 61320 |              |     |         |     |        |     |     | 1.7      |     |      |     |     |                                            |
|                                            | S8025    | 50#SCK      | 77921 |              |     |         |     |        |     |     | 5        |     |      |     |     |                                            |
| 2 Mil Bright Chrome PET TC                 | S333     | 50#SCK      | 72824 |              |     |         |     |        |     |     | 2.5      |     |      |     |     |                                            |
|                                            | S8025    | 50#SCK      | 77923 |              |     |         |     |        |     |     | 5        |     |      |     |     |                                            |
| 2 Mil Matte Chrome Polyester TC            | S333     | 50#SCK      | 72826 |              |     | 5       |     |        |     |     |          |     | 2.5  |     |     |                                            |
|                                            | S8001    | 50#SCK      | 78387 |              |     |         |     |        |     |     | 5        |     |      |     |     |                                            |
|                                            | S8025    | 50#SCK      | 77922 |              |     |         |     |        |     |     | 1.7/5    |     |      |     |     |                                            |
|                                            | S8015    | 50#SCK      | 76660 |              |     |         |     |        |     |     | 1.7      |     |      |     |     |                                            |
|                                            | S730     | 50#SCK      | 41044 |              |     |         |     | RW 2.5 |     |     |          |     |      |     |     | RW Widths: 6", 9"                          |
| 2 Mil Brushed Chrome Polyester TC          | S333     | 50#SCK      | 73303 |              |     |         |     |        |     |     | 1.7      |     |      |     |     |                                            |
| 4 Mil White Flexible Vinyl TC              | S4600    | 50#SCK      | 73952 |              |     |         |     | 3.3    |     |     |          |     |      |     |     |                                            |
|                                            | S730     | 50#SCK      | 40087 |              |     |         |     | 2.5/5  |     |     |          |     | 2.5  |     |     |                                            |
| TransCode® White                           | S475     | 50#SCK      | 72197 |              |     |         |     | 5      |     |     |          |     | 5    |     |     |                                            |
| TransCode® Plus White                      | S4900    | 50#BRN      | 75617 |              |     |         |     | 7.5    |     |     |          |     |      |     |     |                                            |
| TransCode® Plus Clear                      | S4900    | 50#BRN      | 75616 |              |     |         |     | 7.5    |     |     |          |     |      |     |     |                                            |
| 3 Mil White Synthetic Paper                | S333     | 50#SCK      | 75570 |              |     |         |     | 5/10   |     |     | 10       |     | 5/10 |     |     |                                            |
|                                            | S4600    | 50#SCK      | 76693 |              |     |         |     |        |     |     | 5        |     |      |     |     |                                            |
|                                            | S8001    | 50#SCK      | 78401 |              |     |         |     | 5      |     |     |          |     |      |     |     |                                            |
| Smudgeproof Kimdura®                       | S4600    | 50#SCK      | 73550 |              |     | 2.5 / 5 |     |        |     |     |          |     | 5    |     |     |                                            |
| SCANback™                                  | S730     | 50#SCK ABC  | 73739 |              |     |         |     | RW 2.5 |     |     |          |     |      |     |     | Widths: 6.5, 8.5                           |
| 3 Mil Velvet Lexan                         | S730     | 1.5 Mil PET | 75849 |              |     |         |     |        |     |     | 1.7      |     |      |     |     |                                            |
| 5 Mil Velvet Lexan                         | S730     | 1.5 Mil PET | 75850 |              |     |         |     |        |     |     | 1.7      |     |      |     |     |                                            |
| 2 Mil Clear BOPP                           | S4900    | 40#SCK      | 74523 |              |     |         |     | 5      |     |     |          |     |      |     |     |                                            |
| 2.3 Mil White BOPP TC                      | S8001    | 50#SCK      | 78403 |              |     |         |     |        |     |     | 5        |     |      |     |     |                                            |
|                                            | S6600    | 50#SCK      | 77536 |              |     |         |     | 5      |     |     |          |     |      |     |     |                                            |
|                                            |          |             |       |              | GFD | FTW     | PTC | PVL    | QTN | DAL | NEE      | SEA | WCT  | MTL | TOR |                                            |

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

Fasson EXACT™ and Fasson Ready Width™ are powerful service programs designed to help you acquire just the material you need. Achieve reduced scrap, lower inventory costs, reduced freight, and better operational efficiencies – making your wallet and our world a little bit greener.

| Fasson® Facestock                            | Adhesive | Liner     | Spec# | Splice-Free# | GFD       | FTW    | PTC    | PVL | QTN  | DAL   | NEE  | SEA     | WCT          | MTL  | TOR | Comments                                  |
|----------------------------------------------|----------|-----------|-------|--------------|-----------|--------|--------|-----|------|-------|------|---------|--------------|------|-----|-------------------------------------------|
| <b>Thermal Transfer/Direct Thermal Paper</b> |          |           |       |              |           |        |        |     |      |       |      |         |              |      |     |                                           |
| Trans-Therm® 1C                              | S246     | 40#CK     | 13605 |              |           | 7.5    |        |     |      |       |      |         | RW 7.5       |      |     | RW Widths: 5", 7"                         |
|                                              | S2501    | 40#CK     | 12906 | 12913        | 5/10/20   |        | 10     |     | 5/10 | 5/10  | 5/10 | 5/10    |              | 5/10 |     |                                           |
|                                              | S2501    | Piggyback | 16120 |              |           | 5/RW 5 |        |     |      |       |      |         | RW 5         |      |     | Liner: 40#SCK/40#SCK Widths: 4.5", 11"    |
|                                              | AT20N    | 40#SCK    | 13600 | 17688        | 5/10      |        |        |     |      |       | 10   |         | 5/10         | 10   |     |                                           |
|                                              | R5195    | 40#CK     | 18327 |              |           | 10     |        |     |      | 10    |      | 10      |              |      |     |                                           |
| Trans-Therm® 1C FasCover™ 2                  | AT20     | 40#CK     | 13601 |              |           | 5      |        |     |      |       |      |         |              |      |     |                                           |
| Trans-Therm® C                               | S2550    | 40#CK     | 53871 | 53870        | 7.5/15    |        |        |     |      |       |      |         |              |      |     |                                           |
|                                              | S2550    | 40#CK     | 53871 | 53872        | 5/10      |        | 5/10   |     |      | 5/10  | 10   | 10      | 10           | 10/5 | 10  |                                           |
|                                              | AT20N    | 40#CK     | 53342 |              |           | 15     |        |     |      |       |      | RW 15   | 10           |      |     | RW Widths: 8.625"                         |
| Trans-Therm® 2C                              | S246     | 40#CK     | 08027 |              |           | 10     |        |     |      |       |      |         |              |      |     |                                           |
|                                              | S2550    | 40#CK     | 53874 | 53873        | 5/7.5/15  |        |        |     |      |       |      |         | 5            |      |     |                                           |
| Trans-Therm® 2                               | S246     | 40#SCK    | 02116 |              |           |        | 5      |     |      |       |      |         |              |      |     |                                           |
|                                              | S2501    | 40#SCK    | 17512 |              |           | RW 10  |        |     |      |       |      |         |              |      |     | Widths: 9.75"                             |
| Direct-Therm 300HD FSC                       | AT20N    | 40#SCK    | 15582 |              | 5/10      |        |        |     |      | RW 10 |      |         | 10           |      | 10  | Widths: 13.125"                           |
|                                              | FA20B    | 40#SCK    | 15862 |              |           |        | 5      |     |      |       |      |         |              |      |     |                                           |
| Direct-Therm 330TM FSC                       | S9010N   | 40#CK     | 53710 |              |           | 5/10   |        |     |      |       |      |         |              |      |     | Tight Mandrel                             |
| Direct-Therm 330HD                           | S2501    | 40#SCK    | 53426 |              | 10        |        |        |     |      |       |      |         | RW 5         |      |     | Widths: 4.875", 8"                        |
| Direct-Therm 200HD FSC                       | AT20N    | 40#SCK    | 15852 |              | 5/10      |        | 10     |     | 10   | RW 10 | 10   | 5/10    | 5/10         |      | 10  | DAL: 8.5", 8.75", 9.75", 13"              |
|                                              | S2501    | 40#CK     | 19025 |              | 5/10      |        |        |     |      | RW 5  |      |         |              |      |     | DAL RW: 8.5"                              |
| Direct-Therm 200HD Plus                      | R5195    | 40#CK     | 18685 |              |           | 5/10   |        |     |      |       |      |         |              |      |     |                                           |
|                                              | S2501    | 40#SCK    | 18739 |              | 10/15     |        |        |     |      |       |      |         | 10           |      |     |                                           |
| Direct-Therm 200GP FSC                       | S2501    | 40#SCK    | 18351 |              | 5/10      |        |        |     |      |       |      |         | 10           | 5/10 |     |                                           |
|                                              | S2501    | 40#SCK    | 53655 |              | 15        |        |        |     | 15   |       |      |         |              |      |     |                                           |
|                                              | AT20N    | 40#SCK    | 18610 |              | 5/10      |        |        |     |      | RW 10 |      | 5/RW 10 | 5            | 10   |     | Widths: 13"                               |
|                                              | AT20N    | 40#SCK    | 53654 |              | 15        |        |        |     |      |       |      |         |              |      |     |                                           |
|                                              | C2510    | 40#CK     | 18468 |              |           |        | 5      |     |      |       |      |         |              |      |     |                                           |
|                                              | R5195    | 40#SCK    | 18558 |              |           | 7.5/15 |        |     |      |       |      |         |              | 10   |     |                                           |
| Direct-Therm 300LD                           | S2501    | 40#CK     | 16198 | 19449        | 7.5/15    |        | 7.5/15 |     |      | 15    |      |         | 7.5/15/RW 15 | 10   |     | Widths: 13", 17" DAL. 16.75" WCT          |
|                                              | AT20N    | 40#SCK    | 16567 | 19934        | 10/7.5/15 |        |        |     |      |       |      |         |              | 10   |     |                                           |
| Direct-Therm 300 NIR                         | S2501    | 40#SCK    | 17305 |              | 5         |        |        |     |      |       |      |         |              |      |     |                                           |
| <b>Inkjet/Laser/EDP</b>                      |          |           |       |              |           |        |        |     |      |       |      |         |              |      |     |                                           |
| 50#DSX™                                      | S9010N   | 50#CK     | 53140 | 53138        |           | 5/10   | 10     |     | 10   | 10    |      |         | 7.5          |      |     |                                           |
|                                              |          |           |       | 53139        |           | 15     |        |     |      |       |      |         |              |      |     |                                           |
|                                              | AT20     | 50#CK     | 18980 | 19408        | 7.5/15    |        |        |     |      |       |      |         |              |      |     |                                           |
|                                              | R5195    | 50#CK     | 18329 |              |           | 10     |        |     |      |       |      |         |              |      |     |                                           |
|                                              | S9010N   | 45#BK     | 18936 | 19046        | 5/10      | 10     |        |     |      |       |      |         | 5            |      |     |                                           |
|                                              | S2501    | 40#CK     | 18511 |              | 5/15      |        |        |     |      |       |      |         |              |      |     |                                           |
|                                              | S2501    | Piggyback | 13373 |              |           | RW 10  |        |     |      |       |      |         |              |      |     | Liner: 40#SCK/50#SCK Widths: 6.25", 9.25" |
| SPXTRA™                                      | R130     | 50#SCK    | 12063 |              |           |        |        |     |      |       | 5    |         |              |      |     |                                           |
|                                              |          |           |       |              | GFD       | FTW    | PTC    | PVL | QTN  | DAL   | NEE  | SEA     | WCT          | MTL  | TOR |                                           |

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

| Fasson® Facestock             | Adhesive | Liner  | Spec# | Splice-Free# | GFD | FTW   | PTC | PVL    | QTN   | DAL  | NEE | SEA | WCT   | MTL | TOR    | Comments                                         |
|-------------------------------|----------|--------|-------|--------------|-----|-------|-----|--------|-------|------|-----|-----|-------|-----|--------|--------------------------------------------------|
| Laser Copy™ Jet 300           | S9010N   | 46#LF  | 18884 |              | 10  |       | 10  |        | RW 10 | 10   |     |     | 10    |     |        | RW Width: 8.5"; 6" cores                         |
|                               | S9010N   | 46#LF  | 53698 |              | 15  |       |     |        |       |      |     |     |       |     |        |                                                  |
|                               | S9010N   | 44#LF  | 18117 |              | 10  |       |     |        |       | 10   |     |     |       |     |        | 6" Cores                                         |
|                               | S8511    | 45#LF  | 18447 |              |     | 10    |     |        |       |      |     |     | RW 10 |     |        | 8.5", 11.5" (WCT)                                |
|                               | AT20     | 45#LF  | 15837 |              |     | 10    |     |        |       | 10   |     |     |       |     |        | 6" cores                                         |
|                               | R5195    | 45#LF  | 18303 |              |     | 10    |     |        |       |      |     |     |       |     |        | 6" cores.                                        |
| Standard Laser-Rite™          | LP430    | 50#MF  | 02962 |              |     | RW 10 |     |        |       |      |     |     |       |     |        | 6" cores Widths: 9", 11.5"                       |
|                               | R5423    | 50#MF  | 18345 |              |     | 10    |     |        |       |      |     |     |       |     |        |                                                  |
| Scrip Label                   | S9010N   | 46#LF  | 18890 |              | 10  |       |     |        |       | 10   |     |     |       |     |        | DAL 3" cores; all others 6" cores                |
| 54# Semi-Gloss Laser          | S2501    | 53#LF  | 53057 |              | 15  |       |     |        | 15    |      |     |     |       |     |        | 6" cores                                         |
| 54# Semi-Gloss FSC Laser      | S2501    | 41# LF | 53490 |              | 15  | 15    |     |        |       |      |     |     |       |     |        |                                                  |
| Premium Matte Laser           | S2501    | 45#LF  | 17263 |              |     | RW 10 |     |        |       |      |     |     |       |     |        | 6" cores Widths: 5.5", 9", 11", 12"              |
| LaserCode II 3483XX           | R110     | 80#CC  | 75218 |              |     |       |     | RW 7.5 |       |      |     |     |       |     |        | 6" cores Widths: 9", 11"                         |
| LaserCode Drum Label          | S4600    | 79#MF  | 78026 |              |     |       |     | RW 7.5 |       |      |     |     |       |     | RW 7.5 | 6" cores Widths: 9"                              |
| LaserCode Drum Label TC       | S4600    | 79# MF | 78037 |              |     |       |     | RW 5   |       | RW 5 |     |     | RW 5  |     |        | 3" cores DAL/WCT (9"); 6" core PVL: (9",10",11") |
| LaserCode II White            | LR180    | 92#PK  | 78296 |              |     |       |     | RW 7.5 |       |      |     |     |       |     |        | 6" cores, Widths: 11"                            |
| 3 Mil IJ Syn Paper            | S8001    | 50#SCK | 79404 |              |     |       |     | 2.5    |       |      |     |     |       |     |        |                                                  |
| 5 Mil White Inkjet Drum Label | S4600    | 50#SCK | 79348 |              |     |       |     | 2.5    |       |      |     |     |       |     |        |                                                  |
| Demand Jet™ 300SG             | S2501    | 41#LF  | 53726 |              |     | 2.5   |     |        |       |      |     |     |       |     |        |                                                  |
| Demand Jet™ 500HG             | S2501    | 40#SCK | 53110 |              |     | 2.5/5 |     |        |       |      |     |     |       |     |        |                                                  |
| Premium Matte Inkjet          | S2501    | 41#LF  | 53708 |              |     | 2.5   |     |        |       |      |     |     |       |     |        |                                                  |
|                               |          |        |       |              | GFD | FTW   | PTC | PVL    | QTN   | DAL  | NEE | SEA | WCT   | MTL | TOR    |                                                  |

| Fasson® Facestock                   | Spec# | GFD | FTW | PTC | PVL | QTN | DAL | NEE | SEA | WCT   | MTL | TOR | Comments                  |
|-------------------------------------|-------|-----|-----|-----|-----|-----|-----|-----|-----|-------|-----|-----|---------------------------|
| <b>Fasson® Rapid-Roll®</b>          |       |     |     |     |     |     |     |     |     |       |     |     |                           |
| SF 60# C1S Semi-Gloss Elite™        | 19642 |     |     |     |     |     |     | 10  |     |       |     |     |                           |
| 60# C2S Semi-Gloss Elite™           | 19643 |     |     |     |     |     |     | 10  |     | RW 10 |     |     | Widths: 6.875, 7.75", 10" |
| 8 Pt. C1S Semi-Gloss® FSC           | 53386 |     |     |     |     |     |     | 10  |     |       |     |     |                           |
| 10 Pt. C1S Semi-Gloss® FSC          | 53387 |     |     |     |     |     |     | 7.5 |     | 10    |     |     |                           |
| 8 Pt. C1S Carolina®                 | 19237 |     |     |     |     |     |     | 7.5 |     |       |     |     |                           |
| 10 Pt. C1S Carolina®                | 19236 |     |     |     |     |     |     | 7.5 |     |       |     |     |                           |
| 12 Pt. C1S Carolina®                | 19235 |     |     |     |     |     |     | 5   |     |       |     |     |                           |
| 14 Pt. C1S Carolina®                | 19239 |     |     |     |     |     |     | 5   |     |       |     |     |                           |
| 8 Pt. C2S Carolina®                 | 19243 |     |     |     |     |     |     | 7.5 |     |       |     |     |                           |
| 10 Pt. C2S Carolina®                | 19242 |     |     |     |     |     |     | 7.5 |     |       |     |     |                           |
| 3 Pt C1S Thermal Transfer FSC       | 53751 |     |     |     |     |     |     | 10  |     |       |     |     |                           |
| 5 Pt. C1S TT FSC                    | 53752 |     |     |     |     |     |     | 10  |     |       |     |     |                           |
| 5 pt C1S Integrity Thermal Transfer | 16817 |     |     |     |     |     |     | 10  |     |       |     |     |                           |
| 7 Pt. C1S Thermal Transfer FSC      | 53753 |     |     |     |     |     |     | 7.5 |     | 7.5   |     |     |                           |
| 7 Pt C1S Integrity Thermal Transfer | 16786 |     |     |     |     |     |     | 7.5 |     |       |     |     |                           |
| 9 Pt. C1S Thermal Transfer w/OB FSC | 53744 |     |     |     |     |     |     | 5   |     |       |     |     |                           |
| 8 Pt. C2S Thermal Transfer w/OB FSC | 53745 |     |     |     |     |     |     | 7.5 |     |       |     |     |                           |
| 7.5 Pt. Uncoated Thermal Transfer   | 16816 |     |     |     |     |     |     | 5   |     |       |     |     |                           |
|                                     |       | GFD | FTW | PTC | PVL | QTN | DAL | NEE | SEA | WCT   | MTL | TOR |                           |

Locations: DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal; NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

| Fasson® Facestock                                    | Spec# | GFD | FTW | PTC | PVL | QTN  | DAL | NEE  | SEA | WCT       | MTL | TOR | Comments                   |
|------------------------------------------------------|-------|-----|-----|-----|-----|------|-----|------|-----|-----------|-----|-----|----------------------------|
| <b>Fasson® Rapid-Roll®</b>                           |       |     |     |     |     |      |     |      |     |           |     |     |                            |
| 7.5 Pt. Direct-Therm 200HD                           | 53048 |     |     |     |     |      |     | 7.5  |     |           |     |     |                            |
| 100# White Tag                                       | 16836 |     |     |     |     |      |     | 10   |     |           |     |     | 6" cores                   |
| 125# White Tag                                       | 16830 |     |     |     |     |      |     | 5    |     |           |     |     |                            |
| Faslam® LT                                           | 77157 |     |     |     |     |      |     | 10   |     |           |     |     |                            |
| 1025DR Tyvek®                                        | 79108 |     |     |     |     |      |     | 10   |     |           |     |     |                            |
| 1079 Tyvek®                                          | 75723 |     |     |     |     |      |     | 10.5 |     |           |     |     |                            |
| 7.5 Mil C2S Valeron®                                 | 75728 |     |     |     |     |      |     | 7.5  |     |           |     |     |                            |
| 7.5 Mil V-Max® Select™                               | 75947 |     |     |     |     |      |     | 5    |     | 5         |     |     |                            |
| 6 Mil Polyolith® GC-3                                | 78251 |     |     |     |     |      |     | 7.5  |     |           |     |     |                            |
| 7 Mil Polyolith® GC-3                                | 78232 |     |     |     |     |      |     | 5    |     |           |     |     |                            |
| 10 Mil Polyolith® GC-2                               | 75736 |     |     |     |     |      |     | 5    |     |           |     |     |                            |
| Fasson® Rapid-Roll® Clear Co-Polyester Shrink Sleeve | 78824 |     |     |     |     | 14.5 | 10  |      |     |           |     |     | 6" cores QTN. 3" Cores DAL |
| 25# PPMOPP                                           | 75746 |     |     |     |     |      |     |      |     | RW 10, 10 |     |     | Widths: 10.625"            |
| 25# PPFP                                             | 75744 |     |     |     |     |      |     | 10   |     |           |     |     |                            |
| 25# PPFP w/Surlyn                                    | 75772 |     |     |     |     |      |     | 7.5  |     |           |     |     |                            |
| 35# PPFP                                             | 75745 |     |     |     |     |      |     | 10   |     | 10        |     |     | WCT M/W/F Ship Only        |
| White StickPak w/Met                                 | 78432 |     |     |     |     |      |     | 10   |     | 10        |     |     |                            |
| White StickPak Surlyn 280HB                          | 79343 |     |     |     |     |      |     |      |     | 10        |     |     |                            |
| White Metallized Snack Web                           | 79355 |     |     |     |     |      |     | 10   |     |           |     |     |                            |
| Metallized Coffee Web                                | 79426 |     |     |     |     |      |     | 10   |     |           |     |     |                            |
| White Cosmetic Web                                   | 79332 |     |     |     |     |      |     | 10   |     | 10        |     |     | M/W/F Ship Only in WCT     |
| Silver Cosmetic Web                                  | 79333 |     |     |     |     |      |     | 10   |     | 10        |     |     | (T/TH in WCT)              |
| White Cosmetic Web Ultra                             | 77553 |     |     |     |     |      |     | 10   |     |           |     |     |                            |
| White Cosmetic Web Ultra Plus                        | 79334 |     |     |     |     |      |     | 10   |     |           |     |     |                            |
|                                                      |       | GFD | FTW | PTC | PVL | QTN  | DAL | NEE  | SEA | WCT       | MTL | TOR |                            |

**Locations:** DAL-Dallas, TX; FTW-Fort Wayne, IN; GFD-Greenfield, IN; MTL-Montreal;  
NEE-Neenah, WI; PVL-Painesville, OH; PTC-Peachtree City, GA; QTN-Quakertown, PA; SEA-Seattle, WA; TOR-Toronto; WCT-West Coast

|                                      |              | 40#SCK | 50#SCK | 40#BG | 69#MF | 1.2 Mil PET | 1.5 Mil PET |
|--------------------------------------|--------------|--------|--------|-------|-------|-------------|-------------|
| <b>Prime Paper</b>                   |              |        |        |       |       |             |             |
| 60# Cast Gloss                       | <b>S246</b>  | 07655  | 15884  |       |       | 53627       | 07732       |
|                                      | <b>C2510</b> | 53631  | 53633  |       |       | 53625       | 53629       |
|                                      | <b>R423</b>  | 96546  |        |       | 53876 | 53884       |             |
|                                      | <b>S490</b>  | 53612  | 53614  | 53619 | 07693 | 53608       |             |
|                                      | <b>S4600</b> | 53610  | 53615  | 53617 | 53621 |             |             |
| Bright Silver Foil                   | <b>S246</b>  | 08192  | 01734  |       |       | 53505       |             |
|                                      | <b>C2510</b> | 53525  | 53530  |       |       | 53510       | 53517       |
|                                      | <b>R423</b>  | 53865  |        |       | 53877 | 53885       |             |
|                                      | <b>S490</b>  |        | 53554  | 53565 | 53578 | 53537       |             |
|                                      | <b>S4600</b> | 53541  | 53549  | 53558 | 53577 |             |             |
| Dull Silver Foil                     | <b>S246</b>  | 02861  | 10751  |       |       | 53503       | 53513       |
|                                      | <b>C2510</b> | 53523  | 53528  |       |       | 53508       | 53514       |
|                                      | <b>S490</b>  | 53545  | 53555  | 53563 | 53575 | 53535       |             |
|                                      | <b>S4600</b> | 53540  | 53548  |       | 53574 |             |             |
| Bright Gold Foil                     | <b>S246</b>  | 53522  | 06368  |       |       | 53506       | 53518       |
|                                      | <b>C2510</b> | 53526  | 53531  |       |       | 53511       | 53519       |
|                                      | <b>R423</b>  | 53867  |        |       | 53878 | 53886       |             |
| Dull Gold Foil                       | <b>S246</b>  | 19573  | 04927  |       |       | 53504       | 53515       |
|                                      | <b>C2510</b> | 53524  | 53529  |       |       | 53509       | 53516       |
| MaxFlex™ Bright Silver               | <b>S246</b>  | 53354  | 53635  |       |       | 53628       | 53403       |
|                                      | <b>C2510</b> | 53632  | 53634  |       |       | 53626       | 53630       |
|                                      | <b>R423</b>  | 53868  |        |       | 53879 | 53887       |             |
|                                      | <b>S490</b>  | 53406  | 53613  | 53620 | 53623 | 53609       |             |
|                                      | <b>S4600</b> | 53611  | 53616  | 53618 | 53622 |             |             |
| Inverted-Face MaxFlex™ Bright Silver | <b>S246</b>  | 53825  |        |       |       |             |             |
| 8 Pt. Tag                            | <b>S2501</b> | 53544  | 53553  | 53562 | 53573 |             |             |
|                                      | <b>S4600</b> | 53539  | 53547  | 53557 | 53572 |             |             |
| TR Litho                             | <b>S490</b>  | 53546  | 53556  | 53564 | 53576 | 53536       |             |
|                                      | <b>S8015</b> | 53582  | 53583  | 53584 |       | 53581       |             |
| <b>Variable Information</b>          |              |        |        |       |       |             |             |
| TT1C                                 | <b>S246</b>  |        | 14443  |       |       | 53507       | 53520       |
|                                      | <b>C2510</b> | 53527  | 53532  |       |       | 53512       | 53521       |
|                                      | <b>R423</b>  | 98203  |        |       | 53880 | 53888       |             |
|                                      | <b>S4600</b> |        | 53551  | 53560 | 53569 |             |             |
| TT2C                                 | <b>S246</b>  | 08027* | 02329  |       |       | 53717       | 53718       |
|                                      | <b>C2510</b> | 53719  | 53720  |       |       | 53721       | 53722       |
|                                      | <b>R423</b>  | 96029  |        |       | 53881 | 53889       |             |
|                                      | <b>S4600</b> |        | 79402  | 53712 | 53713 |             |             |
| DT 300HD                             | <b>S4600</b> | 53542  | 53550  | 53559 | 53568 |             |             |
|                                      | <b>R423</b>  | 53869  | 53875  |       | 53882 |             |             |
| Durable Laser-Rite™                  | <b>S4600</b> |        | 53552  |       | 53570 |             |             |
|                                      | <b>R423</b>  |        |        |       | 96598 |             |             |
| Standard Laser-Rite™                 | <b>S4600</b> |        |        |       | 53571 |             |             |
|                                      | <b>R423</b>  |        |        |       | 53883 |             |             |
| <b>Prime Film</b>                    |              |        |        |       |       |             |             |
| 2 Mil Clear BOPP TC                  | <b>S692N</b> |        |        |       | 79267 |             | 79184       |
|                                      | <b>S2501</b> |        | 79204  | 79223 | 79268 | 79164       | 79186       |
|                                      | <b>R3400</b> |        |        | 78201 | 79495 | 79511       |             |
|                                      | <b>S8001</b> |        | 79212  | 79234 | 79269 | 79153       | 79176       |
|                                      | <b>S8015</b> | 79295  | 79305  | 79313 |       |             |             |

All Mix & Match orders more than 5000 LF are subject to standard lead times  
 \* Ships from QTN, Exact™

**Blue Spec#** = Ships from Peachtree City, GA, 30" x 1500' MOQ  
**Green Spec#** = Ships from Painesville, OH, 60" x 2500' MOQ

|                               |              | 40#SCK | 50#SCK | 40#BG | 69#MF | 1.2 Mil PET | 1.5 Mil PET |
|-------------------------------|--------------|--------|--------|-------|-------|-------------|-------------|
| 2.3 Mil White BOPP TC         | <b>S246</b>  |        | 79140  |       |       |             |             |
|                               | <b>C2510</b> |        | 79141  |       |       |             |             |
|                               | <b>R3400</b> |        |        | 79486 | 79496 | 78632       |             |
| 2.3 Mil White BOPP TC         | <b>S692N</b> |        |        |       | 79270 |             |             |
|                               | <b>S2501</b> |        | 79205  | 79224 | 79272 | 79165       | 79187       |
|                               | <b>S4600</b> |        | 79200  | 79215 | 79271 |             |             |
|                               | <b>S8001</b> |        |        | 79235 | 79273 | 79154       | 79177       |
|                               | <b>S8015</b> | 79296  | 79306  | 79314 |       | 79288       |             |
| 2.6 Mil White BOPP TC         | <b>C2510</b> |        | 79142  |       |       |             |             |
|                               | <b>S692N</b> |        |        |       | 79274 |             | 76999       |
|                               | <b>R3400</b> |        |        | 79487 | 79497 | 79512       |             |
|                               | <b>S2501</b> |        | 79206  | 79225 | 79276 | 79166       | 79188       |
|                               | <b>S4600</b> |        | 79201  | 79216 | 79275 |             |             |
|                               | <b>S8001</b> |        |        | 79236 | 79277 | 79155       | 79178       |
|                               | <b>S8015</b> | 79297  | 79307  | 79315 |       | 79289       |             |
| 2 Mil Metallized BOPP TC      | <b>S246</b>  |        | 79143  |       |       |             |             |
|                               | <b>C2510</b> |        | 79144  |       |       |             |             |
|                               | <b>R3400</b> |        |        | 79488 | 79498 | 79513       |             |
|                               | <b>S2501</b> |        | 79209  | 79228 | 79285 | 79169       | 79191       |
|                               | <b>S4600</b> |        | 79203  | 79218 | 79284 |             |             |
|                               | <b>S8001</b> |        | 79211  | 79233 | 79266 | 79152       | 79175       |
|                               | <b>S8015</b> | 79300  | 79310  | 79318 |       | 79292       |             |
| Primax® 250                   | <b>S692N</b> |        |        |       | 79278 |             | 76993       |
|                               | <b>S2501</b> |        | 79207  | 79226 | 79280 | 79167       | 79189       |
|                               | <b>R3400</b> |        |        | 79489 | 79499 | 79514       |             |
|                               | <b>S4600</b> |        | 79202  | 79217 | 79279 |             |             |
|                               | <b>S8001</b> |        | 79213  | 79237 | 79281 | 79156       | 79179       |
|                               | <b>S8015</b> | 79298  | 79308  | 79316 |       | 79290       |             |
| FasClear® 250                 | <b>S2501</b> |        | 79208  | 79227 | 79282 | 79168       | 79190       |
|                               | <b>S8001</b> | 79238  | 79214  |       | 79283 | 79157       | 79180       |
|                               | <b>S8015</b> | 79299  | 79309  | 79317 |       | 79291       |             |
|                               | <b>R3400</b> |        |        | 79490 | 79500 | 79515       |             |
| <b>Durable Film</b>           |              |        |        |       |       |             |             |
| 2 Mil Clear Print-Treated PET | <b>S2501</b> |        |        | 79230 | 79257 |             |             |
|                               | <b>S4600</b> |        |        | 79220 | 79258 |             |             |
|                               | <b>S8001</b> |        |        | 79241 | 79259 |             | 79090       |
|                               | <b>S8015</b> | 79302  | 79311  | 79320 |       |             |             |
|                               | <b>R3400</b> |        | 79491  |       | 79501 | 79516       |             |
| 2 Mil White Print-Treated PET | <b>S2501</b> |        |        | 79229 | 79286 | 79170       | 79192       |
|                               | <b>S4600</b> |        |        | 79219 | 79287 | 79173       | 79195       |
|                               | <b>S8001</b> |        |        | 79240 | 79256 | 79158       | 79181       |
|                               | <b>S8015</b> | 79301  |        | 79319 |       | 79293       |             |
|                               | <b>R3400</b> |        | 79492  |       | 79508 | 79517       |             |
| 2 Mil Matte Chrome PET TC     | <b>S2501</b> |        |        | 79231 | 79260 | 79171       | 79193       |
|                               | <b>S4600</b> |        |        | 79221 | 79261 | 79174       | 79196       |
|                               | <b>S8001</b> |        |        | 78598 | 79262 | 79159       | 79182       |
|                               | <b>S8015</b> | 79303  |        | 79321 |       |             |             |
|                               | <b>R3400</b> |        | 79493  |       | 79509 | 79518       |             |
| 3 Mil Synthetic Paper         | <b>S2501</b> | 79198  | 79210  | 79232 | 79263 | 79172       | 79194       |
|                               | <b>S4600</b> |        | 76693  | 79222 | 79264 | 78427       | 79197       |
|                               | <b>S8001</b> | 79199  |        | 79239 | 79265 | 79160       | 79183       |
|                               | <b>S8015</b> | 79304  | 79312  | 79322 |       | 79294       |             |
|                               | <b>R3400</b> |        | 79494  |       | 79510 | 79519       |             |

All Mix & Match orders more than 5000 LF are subject to standard lead times  
 \* Ships from QTN, Exact™

**Blue Spec#** = Ships from Peachtree City, GA, 30" x 1500' MOQ  
**Green Spec#** = Ships from Painesville, OH, 60" x 2500' MOQ



8080 Norton Parkway  
Mentor, Ohio 44060

Return Service Requested

PRESORTED  
FIRST-CLASS MAIL  
U.S. POSTAGE PAID  
PAINESVILLE, OH  
PERMIT NO. 958

All sales are subject to Terms and Conditions of Sale which can be found on line at:  
<http://label.averydennison.com/en/home/terms-and-conditions.html>

© 2016 Avery Dennison Corporation. Fasson® and all other Avery brands, product names and codes are trademarks of the Avery Dennison Corporation. All other brands and product names are trademarks of their respective owners. Use of these images is intended to demonstrate applications for Avery Dennison products and services; this display does not indicate affiliation, sponsorship, approval or endorsement by the owners of the non-Avery Dennison brands and product names.

16023, 03/16, 3500

